

TOPLUX, spol. s.r.o.

Krátkého 211/2
190 00 Praha, ČR,
IČ: 09132279 Dič: CZ09132279
Č.účtu: 44242220/2010 FIO



TOPLUX[®].cz

LED Silicone Flexible Tubes





Application scenarios:





Application scenarios:







Actual pictures:












Top View S0513A 4-BLACK




PCB Width (mm) 10

Weight (g/m) 46

Section size (mm) 5*13

Beam angle 120°



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole





End cap no hole



Plastic clip

Top View S1010A 4-BLACK



PCB Width(mm)

6

Weight(g/m)

72


Section size(mm)

10*10

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1616A 4-BLACK



PCB Width(mm)

12

Weight(g/m)

205



Section size(mm)

16*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1616B 4-GREY



PCB Width(mm)

12

Weight(g/m)

205



Section size(mm)

16*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2020A 4-BLACK



PCB Width (mm)

12

Weight (g/m)

337


Section size (mm)

20*20

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2020B 4-BLACK



PCB Width(mm)

12

Weight(g/m)

230



Section size(mm)

20*20

Beam angle

270°

Aluminum Profile size(mm)



Lighting Direction: 3 Sides Lighting
Cutting mark: Yes



Aluminum Profile




Aluminum Clip



Flexible Profile

Top View S3020A 4-BLACK




PCB Width(mm) 15

Weight(g/m) 510

Section size(mm) 30*20

Beam angle 120°

Aluminum Profile size(mm) 23 mm 33.5 mm



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip




Aluminum Profile



Flexible Profile

Side View S0616A 4-BLACK



PCB Width (mm)

8

Weight (g/m)

89


Section size (mm)

6*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S1220A 4-BLACK with honeycomb diffuser



PCB Width (mm)

12

Weight (g/m)

230


Section size (mm)

12*20

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Round View SD22E 360° 4-BLACK



PCB Width (mm)

double-side 8

Weight (g/m)


397

Section size (mm)

Ø 22

Beam angle

360°



Lighting Direction: 360°



End cap with hole




End cap no hole



Plastic clip

Side View S1023A 4-BLACK




PCB Width(mm) 10

Weight(g/m) 187

Section size(mm) 10*23

Beam angle 270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole




Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1212A 3-BLACK



PCB Width(mm)

8

Weight(g/m)

106


Section size(mm)

12*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1616C 3-BLACK




PCB Width(mm) 10

Weight(g/m) 187


Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2020C 3-BLACK



PCB Width(mm)

12

Weight(g/m)

302


Section size(mm)

20*20


Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S0612A 3-BLACK



PCB Width(mm)

8

Weight(g/m)

68


Section size(mm)

6*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark : Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S0616B 3-BLACK




PCB Width (mm) 8

Weight (g/m) 87

Section size (mm) 6*16

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S1220B 3-BLACK




PCB Width (mm) 10

Weight (g/m) 226

Section size (mm) 12*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1010B Silicone Cover





PCB Width (mm) 5

Weight (g/m) 94

Section size (mm) 15*10

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip






Aluminum Profile



Flexible Profile

Top View S1010C Silicone Cover




PCB Width (mm) 6

Weight (g/m) 75

Section size (mm) 15*10

Beam angle 180°

Aluminum Profile size(mm) 9.5mm 12mm



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip






Aluminum Profile



Flexible Profile

Top View S1210 Silicone Cover





PCB Width (mm) 8

Weight (g/m) 97

Section size (mm) 17*10

Beam angle 180°

Aluminum Profile size(mm) 



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S1212B Silicone Cover





PCB Width(mm) 8

Weight(g/m) 124

Section size(mm) 18*12

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip






Aluminum Profile



Flexible Profile

Top View S1510A Silicone Cover





PCB Width (mm) 8/10

Weight (g/m) 107

Section size (mm) 20*10

Beam angle 120°

Aluminum Profile size(mm) 



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S1610 Silicone Cover




PCB Width (mm) 12

Weight (g/m) 110


Section size (mm) 21*10

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S1616D Silicone Cover





PCB Width (mm) 8/10

Weight (g/m) 172

Section size (mm) 23*16

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S2010A Silicone Cover




PCB Width (mm) 10

Weight (g/m) 180

Section size (mm) 26*10

Beam angle 120°

Aluminum Profile size(mm) 14.5 mm x 22.5 mm



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip






Aluminum Profile



Flexible Profile

Top View S2010B Silicone Cover





PCB Width (mm) 15

Weight (g/m) 142

Section size (mm) 26*11

Beam angle 180°

Aluminum Profile size(mm) 



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S2010C Black honeycomb diffuser



PCB Width (mm)

15

Weight (g/m)

175


Section size (mm)

26*10

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S2020D Silicone Cover





PCB Width (mm) 10/12

Weight (g/m) 253

Section size (mm) 28*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S2020E Silicone Cover





PCB Width (mm) 10/12

Weight (g/m) 243

Section size (mm) 28*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S2020F BLACK Silicone Cover





PCB Width (mm) 10/12

Weight (g/m) 250

Section size (mm) 28*20

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S2020J GREY Silicone Cover





PCB Width (mm) 10/12

Weight (g/m) 250

Section size (mm) 28*20

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes




Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2020H BLACK Silicone Cover





PCB Width (mm) 12

Weight (g/m) 308

Section size (mm) 22*20

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes





Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2020I Silicone Cover



PCB Width (mm)

12

Weight (g/m)

308



Section size (mm)

22*20

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S2018A Silicone Cover




PCB Width (mm) 12

Weight (g/m) 183



Section size (mm) 25*18

Beam angle 180°



Lighting Direction: Top Lighting
Cutting mark: Yes

Top View S3020B Silicone Cover





PCB Width (mm) 15

Weight (g/m) 358

Section size (mm) 37*20

Beam angle 120°

Aluminum Profile size(mm)



Colour: White Side / Black Side

Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S3020C BLACK Silicone Cover



PCB Width (mm)

15

Weight (g/m)

403



Section size (mm)

37*20

Beam angle

180°

Aluminum Profile size(mm)



Lighting Area Color : Black /Grey

Lighting Direction: Top Lighting

Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S4015 Silicone Cover





PCB Width (mm) 15/20

Weight (g/m) 407

Section size (mm) 46*15

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S5015 Silicone Cover



PCB Width (mm)

15/20

Weight (g/m)

521



Section size (mm)

56*15

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S1010D Silicone Cover With Bottom





PCB Width (mm) 8

Weight (g/m) 96

Section size (mm) 10*9

Beam angle 120°


Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1212C Silicone Cover With Bottom



PCB Width(mm)

8

Weight(g/m)

132



Section size(mm)

12*11

Beam angle

120°


Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1616E Silicone Cover With Bottom





PCB Width(mm) 10

Weight(g/m) 186

Section size(mm) 16*15

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S2014A Silicone Cover With Bottom





PCB Width(mm) 10

Weight(g/m) 238

Section size(mm) 20*14

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S2020J Silicone Cover With Bottom





PCB Width(mm) 10/12

Weight(g/m) 296

Section size(mm) 20*19

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes






Aluminum Clip

Aluminum Profile

Flexible Profile

Round View S1313A




PCB Width(mm) 8

Weight(g/m) 142

Section size(mm) 13*13

Beam angle 180°



Lighting Direction: 180° Lighting



End cap with hole






End cap no hole




Plastic clip

Round View S1513



PCB Width(mm)	10
Weight(g/m)	143
Section size(mm)	13*15
Beam angle	180°



Lighting Direction: 180°Lighting



End cap with hole




End cap no hole




Plastic clip

Round View S1313B



PCB Width(mm)	5
Weight(g/m)	136
Section size(mm)	ø 13
Beam angle	270°



Lighting Direction: 270° Lighting



End cap with hole






End cap no hole




Plastic clip

Round View S2020K



PCB Width(mm)	10
Weight(g/m)	320
Section size(mm)	∅ 20
Beam angle	270°



Lighting Direction: 270° Lighting



End cap with hole





End cap no hole



Plastic clip

Round View S2020L



PCB Width(mm)	10
Weight(g/m)	241
Section size(mm)	Ø 20
Beam angle	270°



Lighting Direction: 270° Lighting



End cap with hole





End cap no hole




Plastic clip

Round View SD13



PCB Width(mm)	double-sided 5/6
Weight(g/m)	107
Section size(mm)	∅ 13
Beam angle	360°



Lighting Direction: 360°



End cap with hole





End cap no hole



Plastic clip

Round View SD16




PCB Width(mm) double-sided 6

Weight(g/m) 190

Section size(mm) ϕ 16

Beam angle 360°



Lighting Direction: 360°



End cap with hole




End cap no hole




Plastic clip

Round View SD18



PCB Width(mm)	double-sided 8
Weight(g/m)	226
Section size(mm)	∅ 18
Beam angle	360°



Lighting Direction: 360°



End cap with hole




End cap no hole




Plastic clip

Round View SD20



PCB Width(mm)	double-sided 8
Weight(g/m)	287
Section size(mm)	ϕ 20
Beam angle	360°



Lighting Direction: 360°



End cap with hole





End cap no hole



Plastic clip

Round View SD22A



PCB Width(mm)

double-sided 6

Weight(g/m)


348

Section size(mm)

∅ 22

Beam angle

360°



Lighting Direction: 360°



End cap with hole




End cap no hole




Plastic clip

Round View SD22B



PCB Width(mm)	double-sided 10
Weight(g/m)	327
Section size(mm)	ϕ 22
Beam angle	360°



Lighting Direction: 360°



End cap with hole




End cap no hole




Plastic clip

Round View SD22C



PCB Width(mm)	double-sided 8
Weight(g/m)	337
Section size(mm)	φ 22
Beam angle	360°



Lighting Direction: 360°



End cap with hole






End cap no hole




Plastic clip

Round View SD22D



PCB Width(mm)	double-sided 8
Weight(g/m)	439
Section size(mm)	φ 22
Beam angle	360°



Lighting Direction: 360°



End cap with hole





End cap no hole




Plastic clip

Round View SD25



PCB Width(mm)	double-sided 8
Weight(g/m)	570
Section size(mm)	ϕ 25
Beam angle	360°



Lighting Direction: 360°



End cap with hole




End cap no hole




Plastic clip

Round View SD30



PCB Width(mm)	double-sided 10
Weight(g/m)	621
Section size(mm)	ϕ 30
Beam angle	360°



Lighting Direction: 360°



End cap with hole





End cap no hole



Plastic clip

Round View SD40




PCB Width(mm) double-sided 10

Weight(g/m) 1110

Section size(mm) ϕ 40

Beam angle 360°



Lighting Direction: 360°



End cap with hole




End cap no hole




Plastic clip

Round View SD50



PCB Width(mm)	double-sided 12
Weight(g/m)	1800
Section size(mm)	ϕ 50
Beam angle	360°



Lighting Direction: 360°



End cap with hole






End cap no hole




Plastic clip

Top View S0511 \ S0513B \ S0515



PCB Width(mm)	8	10	12
Weight(g/m)	50	56	61
Section size(mm)	5*11	5*13	5*15
Beam angle	120°	120°	120°



Lighting Direction: Top Lighting



End cap with hole



End cap no hole



S0511/S0513



Plastic clip



S0515

Plastic clip

Top View S0606A




PCB Width (mm) 3

Weight (g/m) 42

Section size (mm) 6*6

Beam angle 180°



Lighting Direction: Top Lighting



End cap with hole





End cap no hole



Aluminum Clip

Top View S0611 COB




PCB Width(mm) 8

Weight(g/m) 55

Section size(mm) 6*11

Beam angle 120°



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole





End cap no hole



Plastic clip

Top View S1010E



PCB Width(mm)

5

Weight(g/m)

90



Section size(mm)

10*10

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting Mark: Yes



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1212D





PCB Width(mm) 8

Weight(g/m) 107

Section size(mm) 12*12

Beam angle 180°

Aluminum Profile size(mm) 



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole






Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1212E




PCB Width(mm) 8

Weight(g/m) 114

Section size(mm) 12*12

Beam angle 120°

Aluminum Profile size(mm) 10 mm 14.5 mm



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1414A




PCB Width(mm) 10

Weight(g/m) 147

Section size(mm) 14*14

Beam angle 180°

Aluminum Profile size(mm) 11mm 16mm



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole






Aluminum Clip



Aluminum Profile

Top View S1414B





PCB Width(mm) 10

Weight(g/m) 145

Section size(mm) 14*14

Beam angle 120°

Aluminum Profile size(mm) 



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole




Aluminum Clip



Aluminum Profile

Top View S1510B





PCB Width(mm) 10

Weight(g/m) 131

Section size(mm) 15*10

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes






End cap with hole

End cap no hole

Aluminum Clip

Aluminum Profile

Top View S1616F



PCB Width(mm)

10

Weight(g/m)

198



Section size(mm)

16*16

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1616G





PCB Width(mm) 10

Weight(g/m) 192

Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S2010D



PCB Width(mm)

10/12

Weight(g/m)

180



Section size(mm)

20*10

Beam angle


120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2014B





PCB Width(mm) 10

Weight(g/m) 215

Section size(mm) 20*14

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes




End cap with hole



End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S2014C



PCB Width(mm)

10

Weight(g/m)

183



Section size(mm)

20*14


Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2016



PCB Width(mm)

10

Weight(g/m)

233



Section size(mm)

20*16

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2018B






PCB Width(mm) 10

Weight(g/m) 238

Section size(mm) 20*18

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



Aluminum Profile





Aluminum Clip



Flexible Profile

Top View S2020M





PCB Width(mm) 10/12

Weight(g/m) 348

Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S2020N



PCB Width(mm)

10/12

Weight(g/m)

295



Section size(mm)

20*20

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip






Aluminum Profile



Flexible Profile

Top View S20200



PCB Width(mm)

10/12

Weight(g/m)

271


Section size(mm)

20*20

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S2517A



PCB Width(mm)

12

Weight(g/m)

346



Section size(mm)

25*17

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole





Aluminum Clip



Aluminum Profile

Top View S2517B




PCB Width(mm) 15

Weight(g/m) 334

Section size(mm) 25*17

Beam angle 120°

Aluminum Profile size(mm) 20mm 27mm



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole




Aluminum Clip



Aluminum Profile

Top View S2720




PCB Width(mm) 15



Weight(g/m) 400

Section size(mm) 27*20

Beam angle 120°



Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole



End cap no hole





Aluminum Clip



Aluminum Profile

Top View S3020D



PCB Width(mm)

15

Weight(g/m)

476



Section size(mm)

30*20

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S3020E



PCB Width(mm)

15

Weight(g/m)

428



Section size(mm)

30*20

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S4025A




PCB Width(mm) 20

Weight(g/m) 560

Section size(mm) 40*25

Beam angle 180°

Aluminum Profile size(mm) 17.1 mm 44mm



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S4025B



PCB Width(mm)

20

Weight(g/m)

657



Section size(mm)

40*25

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S4025C



PCB Width(mm)

Top View20 /Side View8

Weight(g/m)

592



Section size(mm)

40*25

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting/
Side Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S5025A





PCB Width(mm) 20

Weight(g/m) 860


Section size(mm) 50*25

Beam angle 120°

Aluminum Profile size(mm) 



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S5025B



PCB Width(mm)

Top View 20mm or 15mm
/ Side View 8mm

Weight(g/m)

742



Section size(mm)

50*25


Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting/
Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S7030





PCB Width(mm) 30

Weight(g/m) 1339

Section size(mm) 70*30

Beam angle 120°

Aluminum Profile size(mm) 



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S10030





PCB Width(mm) 20x2

Weight(g/m) 1836

Section size(mm) 100*30

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1010F (with anti-break plate)



PCB Width(mm)

5/6

Weight(g/m)

116



Section size(mm)

10*10


Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Top Lighting
Cutting Mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1010G (with anti-break plate)



PCB Width(mm)

5/6

Weight(g/m)

112



Section size(mm)

10*10

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: sides Lighting
Cutting Mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1212F (with anti-break plate)



PCB Width(mm)

8

Weight(g/m)

138



Section size(mm)

12*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole






Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1212G (with anti-break plate)




PCB Width(mm) 8

Weight(g/m) 125

Section size(mm) 12*12

Beam angle 180°

Aluminum Profile size(mm) 10 mm 14.5 mm



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1616H (with anti-break plate)





PCB Width(mm) 10

Weight(g/m) 238

Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S2014D (with anti-break plate)



PCB Width(mm)

10/12

Weight(g/m)

255



Section size(mm)

20*14

Beam angle


120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2014E (with anti-break plate)





PCB Width(mm) 10/12

Weight(g/m) 251


Section size(mm) 20*14

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Top Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Corner View SV22



PCB Width(mm)

5

Weight(g/m)

157



Section size(mm)

22*14

Beam angle

180°

Aluminum Profile size(mm)




Lighting Direction: Top Lighting
Cutting Mark : Yes



End cap with hole





End cap no hole



Aluminum Clip

Side View S0408A




PCB Width(mm) 5

Weight(g/m) 30

Section size(mm) 4*8

Beam angle 120°



Lighting Direction: Side Lighting
Cutting mark: Yes





End cap with hole



End cap no hole

Side View S0410A




End cap with hole



End cap no hole



Aluminum Clip



Aluminum Profile



Flexible Profile



PCB Width (mm)

5/6

Weight (g/m)

47


Section size (mm)

4*10

Beam angle


120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes

Side View S0612B



PCB Width (mm)

8

Weight (g/m)

75



Section size (mm)

6*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S0616C



PCB Width(mm)

8

Weight(g/m)

89



Section size(mm)

6*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip




Aluminum Profile



Flexible Profile

Side View S1220C



PCB Width(mm)

10

Weight(g/m)

195



Section size(mm)

12*20

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1010H




PCB Width(mm) 5

Weight(g/m) 84

Section size(mm) 10*10

Beam angle 120°

Aluminum Profile size(mm) 9.5 mm 12mm



Lighting Direction: Side Lighting

Cutting mark: Yes




End cap with hole

End cap no hole






Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1212H



PCB Width(mm)

6

Weight(g/m)

110



Section size(mm)

12*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S1212I



PCB Width(mm)

5

Weight(g/m)

166



Section size(mm)

12*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1212J



PCB Width(mm) 8

Weight(g/m) 156

Section size(mm) 12*12

Beam angle 120°

Aluminum Profile size(mm) 10 mm 14.5 mm



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S1414C





PCB Width(mm) 8

Weight(g/m) 163

Section size(mm) 14*14

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip






Aluminum Profile



Flexible Profile

Side View S1616I



PCB Width(mm)

10

Weight(g/m)

259



Section size(mm)

16*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S2020P





PCB Width(mm) Top View 8MM / Side View 10MM

Weight(g/m) 297

Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting/
Side Lighting

Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip




Aluminum Profile



Flexible Profile

Side View S3032





PCB Width(mm) 12/15

Weight(g/m) 644

Section size(mm) 30*32

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole






Aluminum Profile



Flexible Profile

Side View S0613A




PCB Width(mm) 8

Weight(g/m) 79


Section size(mm) 6*13

Beam angle 180°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S0816A



PCB Width(mm)

8

Weight(g/m)

112



Section size(mm)

8*16

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S0817A




PCB Width(mm) 8

Weight(g/m) 131

Section size(mm) 8*17

Beam angle 270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S1023B



PCB Width(mm)

10

Weight(g/m)

196



Section size(mm)

10*23

Beam angle

270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip






Aluminum Profile



Flexible Profile

Side View S1225A




PCB Width(mm) 10

Weight(g/m) 243

Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S1018A (with anti-break plate)



PCB Width(mm)

10

Weight(g/m)

195



Section size(mm)

10*18

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Top Lighting

Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1020A (with anti-break plate)




PCB Width(mm) 10

Weight(g/m) 213

Section size(mm) 10*20

Beam angle 120°



Lighting Direction: Side Lighting
Cutting mark: Yes





End cap with hole



End cap no hole

Side View S1220D (with anti-break plate)



PCB Width(mm)

12

Weight(g/m)

248



Section size(mm)

12*20

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1220E (with anti-break plate)





PCB Width(mm) 10

Weight(g/m) 248

Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1220F (with anti-break plate)





PCB Width(mm) 10

Weight(g/m) 255

Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1220G (with anti-break plate)



PCB Width(mm)

10

Weight(g/m)

249



Section size(mm)

12*20

Beam angle

180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1023C (with anti-break plate)





PCB Width(mm) 10

Weight(g/m) 272

Section size(mm) 10*23

Beam angle 270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip






Aluminum Profile



Flexible Profile

Side View S1225B (with anti-break plate)





PCB Width(mm) 12

Weight(g/m) 335

Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole






Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1225C (with anti-break plate)





PCB Width(mm) 12

Weight(g/m) 305

Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole




End cap no hole

Aluminum Clip


Aluminum Profile

Flexible Profile

Side View S1525






PCB Width(mm)	10
Weight(g/m)	320
Section size(mm)	15*25
Beam angle	180°



Lighting Direction: 3 sides Side Lighting

Cutting mark: Yes

Side View S1616J (with anti-break plate)




PCB Width(mm) 10

Weight(g/m) 241

Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size(mm) 18 mm 19 mm



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile




Flexible Profile

Top View S0510 Co-extrusion




PCB Width (mm)	8
Weight (g/m)	54.8
Section size (mm)	5*10
Beam angle	180°



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole





End cap no hole



3M Tape

Top View S0606B Co-extrusion




PCB Width (mm) 4

Weight (g/m) 43.5

Section size (mm) 6*6.1

Beam angle 120°



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole




End cap no hole



Aluminum Clip

Top View S1010I Co-extrusion




PCB Width (mm) 8

Weight (g/m) 105

Section size (mm) 10*10

Beam angle 120°

Aluminum Profile size(mm) 9.5 mm 12mm



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1010J - 3D Bendable - Co-extrusion



PCB Width (mm)

5

Weight (g/m)

114



Section size (mm)

10*10

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top bend and side bend combined into one!

Cutting mark: Yes



End cap with hole

End cap no hole




Aluminum Clip





Aluminum Profile

Flexible Profile

Top View S1212K Co-extrusion



PCB Width (mm)	8
Weight (g/m)	135
Section size (mm)	12*12
Beam angle	120°



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1212R - 3D Bendable - Co-extrusion



Weight (g/m)

195



Section size (mm)

12*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top bend and side bend combined into one!

Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip





Aluminum Profile

Flexible Profile

Top View S1515A Co-extrusion



PCB Width(mm)	10
Weight(g/m)	175
Section size(mm)	15*15
Beam angle	120°



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S1616K Co-extrusion



PCB Width(mm)

8/10

Weight(g/m)

250



Section size(mm)

16*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1616L - IP68 Waterproof - Co-extrusion



PCB Width(mm)

8/10

Weight(g/m)

272



Section size(mm)

16*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top Lighting
Cutting mark: Yes




End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S1616M - 3D Bendable - Co-extrusion



PCB Width (mm)

8

Weight (g/m)

321



Section size (mm)

16*16

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Top bend and side bend combined into one!

Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile


Top View S2020Q Co-extrusion



PCB Width(mm)	10
Weight(g/m)	291
Section size(mm)	20*20
Beam angle	120°

Aluminum Profile size(mm)

21.5 mm
22.5 mm



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole End cap no hole



Aluminum Clip




Aluminum Profile



Flexible Profile

Top View S2020R Co-extrusion




PCB Width(mm) 12

Weight(g/m) 340

Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size(mm) 21.5 mm 22.5 mm



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Top View S0610A Co-extrusion




PCB Width(mm) 8

Weight(g/m) 63

Section size(mm) 6*10

Beam angle 120°



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole





End cap no hole




Plastic clip

Top View S0610B COB Co-extrusion



PCB Width(mm)	8
Weight(g/m)	55
Section size(mm)	6.5*10
Beam angle	120°



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole





End cap no hole



Plastic clip

Top View S1510C Co-extrusion




PCB Width(mm) 10

Weight(g/m) 130

Section size(mm) 15*10

Beam angle 120°

Aluminum Profile size(mm) 10 mm 16.5 mm





Lighting Direction: Top Lighting
Cutting mark: Yes





End cap with hole End cap no hole Aluminum Clip Aluminum Profile

Top View S2010E Co-extrusion



PCB Width (mm)	8
Weight (g/m)	185
Section size (mm)	20*10
Beam angle	120°



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip






Aluminum Profile



Flexible Profile

Top View S2014F Co-extrusion



PCB Width(mm)

10

Weight(g/m)

230



Section size(mm)

20*14

Beam angle


120°

Aluminum Profile size(mm)



Lighting Direction: Top lighting

Cutting mark: Yes



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Top View S2014G Co-extrusion



PCB Width(mm)

10

Weight(g/m)

235



Section size(mm)

20*14

Beam angle


120°

Aluminum Profile size(mm)



Lighting Direction: Top lighting

Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip



Aluminum Profile

Flexible Profile

Top View S3020F Co-extrusion



PCB Width(mm)	10
Weight(g/m)	495
Section size(mm)	30*20
Beam angle	120°



Lighting Direction: Top Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip






Aluminum Profile




Flexible Profile

Top View S1313D Co-extrusion



PCB Width(mm)	10
Weight(g/m)	150
Section size(mm)	13*13
Beam angle	180°



Lighting Direction: Top Lighting

Cutting mark: Yes



End cap with hole





End cap no hole





Plastic clip

Side View S1010K Co-extrusion



PCB Width(mm)	5
Weight(g/m)	110
Section size(mm)	10*10
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes




End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1212S Co-extrusion



PCB Width(mm)

8

Weight(g/m)

132



Section size(mm)

12*12

Beam angle

120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1414D Co-extrusion




PCB Width(mm) 8

Weight(g/m) 225

Section size(mm) 14*14

Beam angle 120°

Aluminum Profile size(mm) 11mm 16mm



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip



Aluminum Profile

Side View S1515B Co-extrusion




PCB Width(mm) 8

Weight(g/m) 202

Section size(mm) 15*15

Beam angle 120°

Aluminum Profile size(mm) 15.6 mm 20 mm



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1616N Co-extrusion



PCB Width(mm)	10
Weight(g/m)	245
Section size(mm)	16*16
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole





Aluminum Clip




Aluminum Profile

Flexible Profile

Side View S2020S Co-extrusion



PCB Width (mm)	10
Weight (g/m)	335
Section size (mm)	20*20
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile




Flexible Profile

Side View S0408B Co-extrusion



PCB Width (mm)	5
Weight (g/m)	40
Section size (mm)	4*8
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes




End cap with hole




End cap no hole

Side View S0408C Co-extrusion



PCB Width (mm)	5
Weight (g/m)	42
Section size (mm)	4*8
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes




End cap with hole



End cap no hole

Side View S0410B Co-extrusion



PCB Width (mm) 5

Weight (g/m) 47.5

Section size (mm) 4*10

Beam angle 120°

Aluminum Profile size(mm) 9.2 mm
6 mm



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip


Aluminum Profile

Flexible Profile

Side View S0508 Co-extrusion




PCB Width (mm)	5
Weight (g/m)	48
Section size (mm)	5*8
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes

Side View S0612C Co-extrusion




PCB Width (mm) 8

Weight (g/m) 78

Section size (mm) 6*12


Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting

Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Side View S0616D Co-extrusion





PCB Width (mm) 10

Weight (g/m) 109

Section size (mm) 6*16

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1018B Co-extrusion



PCB Width(mm)	10
Weight(g/m)	205
Section size(mm)	10*18
Beam angle	180°





Lighting Direction: Side Lighting
Cutting mark: Yes





End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

Side View S1018C Co-extrusion



PCB Width(mm)	10
Weight(g/m)	186
Section size(mm)	10*18
Beam angle	180°

Aluminum Profile size(mm)



Lighting Direction: 3 sides Side Lighting
Cutting mark : Yes



End cap with hole



End cap no hole

Aluminum Clip



Aluminum Profile

Flexible Profile

Side View S1020B Co-extrusion



PCB Width(mm)	10
Weight(g/m)	202
Section size(mm)	10*20
Beam angle	120°



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip





Aluminum Profile



Flexible Profile

Side View S1220H Co-extrusion





PCB Width(mm) 10

Weight(g/m) 270

Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip





Aluminum Profile




Flexible Profile

Side View S0512 Co-extrusion




PCB Width (mm)	8
Weight (g/m)	68
Section size (mm)	5*12
Beam angle	120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole



Aluminum Clip






Aluminum Profile



Flexible Profile

Side View S0613B Co-extrusion




PCB Width (mm) 8

Weight (g/m) 85

Section size (mm) 6*13

Beam angle 120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile



Flexible Profile

Side View S0613C Co-extrusion



PCB Width (mm)	8
Weight (g/m)	135
Section size (mm)	6*13
Beam angle	120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile



Flexible Profile

Side View S0816B Co-extrusion



PCB Width (mm)	8
Weight (g/m)	144
Section size (mm)	8*16
Beam angle	120°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile


Side View S0817B Co-extrusion



PCB L-TYPE side out

Weight(g/m)	157
Section size(mm)	8*17
Beam angle	270°

Aluminum Profile size(mm)



Lighting Direction: Side Lighting
Cutting mark: Yes



End cap with hole

End cap no hole



Aluminum Clip



Aluminum Profile



Flexible Profile



TOPLUX, spol. s.r.o.

Krátkého 211/2, 190 00 Praha, ČR

IČ: 09132279 Dič: CZ09132279

Č.úctu: 44242220/2010 FIO